



Indian Institute of Management Kashipur

Kundeshwari, District – Udham Singh Nagar, Kashipur – 244713

(Web Site: www.iimkashipur.ac.in)



TENDER DOCUMENT

FOR ELECTRICAL ITEMS

NOTICE INVITING TENDER (NIT) NO.

IIMKASHIPUR/PUR DEPTT /NIT/ 26 / 2021-22 DATED 29 MARCH 2022

SECTION – I

The Indian Institute of Management (IIM) Kashipur, having its office at Kundeshwari, District – Udham Singh Nagar, Kashipur, Uttarakhand – 244713, is an Institute of national importance under the aegis of the Ministry of Human Resource Development, Government of India set up to provide management education of high quality and to promote allied areas of knowledge and inter-disciplinary studies.

The IIM Kashipur invites bids in Single bid system from reputed, experienced and financially sound Electrical supplier bidders/firms.

Brief Tender Details:

Tender Description	EMD Value (Rs.)
Tender for Electrical Items	25,000/-

The tender document can be downloaded from Institute website: www.iimkashipur.ac.in and Central Public Procurement (CPP) portal <http://eprocure.gov.in/epublish/app> and bids are to be submitted (hard copy) at IIM Kashipur as prescribed in the tender document. Kindly adhere to the last date and time of submission of the tender.

Critical Dates of Tender:

Sl. No	Particulars	Date	Time
1	Date and Time of online Publication/Download of Tender	29 March 2022	1500hrs
2	Bid Submission start date & time	04 April 2022	1000hrs
3	Bid Submission close date & time	22 April 2022	1100hrs
5	Opening of Bid	22 April 2022	1130hrs

INSTRUCTIONS TO BIDDERS

1. Bids in sealed cover are invited for procurement of Electrical items from reputed experienced and financially sound parties listed in this NIT. Please super scribe the outer cover of the sealed bid as “Supply of Electrical Items”, NIT/26 (dated 29 March 2022) to avoid the bid being declared invalid. Bids not super scribed with the details mentioned above may be declared invalid.

2. The Financial bids of only eligible and technically qualified bidders will be considered, after the same has been ascertained by evaluation by the Committee. Considering the urgency of the work, no requests for extending the deadline shall be considered.



Indian Institute of Management Kashipur

Kundeshwari, District – Udham Singh Nagar, Kashipur – 244713

3. The address, contact numbers, date of issue of quotations document, last date of submission of bids, date and time of opening of bids for sending Bids or seeking clarifications regarding this NIT are given below:–

Bids/queries to be addressed to	STORE AND PURCHASE OFFICER
Postal address for sending the Bids	STORE AND PURCHASE OFFICER INDIAN INSTITUTE OF MANAGEMENT, KASHIPUR KUNDESHWARI, KASHIPUR, DIST. UDHAM SINGH NAGAR, UTTARAKHAND (INDIA) PIN – 244713 Website: www.iimkashipur.ac.in
Name/Designation of the contact personnel	STORE AND PURCHASE OFFICER
Telephone numbers of the contact personnel	91-7088270882,7900444090 / 321
e-mail ids of contact personnel	purchase@iimkashipur.ac.in
Last date and time of submission of bid	22 April 2022 at 1100hrs hrs. Any changes of the schedule will be notified on the Institute's website.
Date and time of opening of Technical Bid	22 April 2022 at 1130 hrs onwards. Any changes of the schedule will be notified on the Institute's website. If the date is holiday, the next working day will be the opening date of the tender. Financial bids shall be evaluated of those firms which are found compliant/suitable after Technical/ Eligibility evaluation is done by the duly constituted Committee.

4. **Cost of Bid Document/Tender Fee:** NIL

5. **Tender Value:** The total estimated cost/bid value/tender value of the NIT is approximately Rs. 12,00,000/- (Rupees Twelve Lakh approx.).

6. **Issue of Tender:** The tender document can be downloaded from the Institute website - www.iimkashipur.ac.in or eprocure.gov.in. Please keep visiting our website for any corrigendum/amendments and submit the bid document accordingly.

7. **Manner of depositing the Bids:** Sealed Bids should be either dropped in the Tender Box placed at Main Gate of IIM Kashipur or should be sent by registered post/courier at the address given above to reach by the due date and time. Late tenders will not be considered. No responsibility will be taken for postal/courier delay or non-delivery/non-receipt of Bid documents. Bids sent by FAX or e- mail will not be considered.

8. The NIT is to be signed on all the pages by the bidder. This NIT is being issued with no financial commitment. IIM Kashipur also reserves the right to withdraw the NIT, should it become necessary at any stage for withdrawing the NIT.

9. The Bidders may depute their representatives, duly authorized in writing, to attend the opening of Bids on the due date and time. This event will not be postponed due to non-presence of your representative.

10. **Forwarding of Bids** – Bids should be forwarded by Bidders in a sealed envelope by duly super scribed as stipulated above. The NIT document duly signed and stamped on each page along with Annexure-I of the NIT supported by demand draft (EMD) as specified above and all the documentary proofs to establish eligibility and their potential of professional readiness for the services.

11. **Clarification regarding contents of the NIT:** A prospective bidder who requires clarification



Indian Institute of Management Kashipur

Kundeshwari, District – Udham Singh Nagar, Kashipur – 244713

regarding the contents of the bidding documents shall send their query/queries at purchase@iimkashipur.ac.in latest by **18 April 2022**. Any queries received beyond the above mentioned timeline shall not be entertained. IIM Kashipur response to the queries shall be uploaded on the website.

12. Modification and Withdrawal of Bids: A bidder may modify or withdraw his bid after submission, provided that the written notice of modification or withdrawal is received by the IIM Kashipur prior to deadline prescribed for submission of bids. A withdrawal notice should on a signed confirmation copy to be sent by post or by email and such signed confirmation should reach the purchaser not later than the deadline for submission of bids. No bid shall be modified after the deadline for submission of bids. No bid may be withdrawn in the interval between the deadline for submission of bids and expiration of the period of bid validity specified. Withdrawal of a bid during this period will result in Bidder's forfeiture of bid security. Submission of bid means that bidder has read all the terms and conditions of this Tender Documents carefully and will comply with them unconditionally. Conditional bids shall not be accepted.

13. Rejection of Bids: Canvassing by the Bidder in any form, unsolicited letter and post-tender correction may invoke summary rejection with forfeiture of EMD.

14. Validity of Bids: The Bids should remain valid till **90 days** from the last date of submission of the Bids.

15. Earnest Money Deposit (EMD): Bidders are required to submit (EMD) of amount Rs. **25,000/- (Rupees Twenty-Five Thousand only)** along with their bids. The EMD may be submitted in the form of an Account Payee Demand Draft from any of the public sector banks or a private sector bank authorized to conduct government business payable **in favour of "Indian Institute of Management, Kashipur"** payable at Kashipur. EMD is to remain valid for a period of forty-five days beyond the final bid validity period. EMD of the unsuccessful bidders will be returned to them at the earliest after expiry of the final bid validity and latest on or before the 30th day after the award of the contract. The EMD of the successful bidder would be returned, without any interest whatsoever, after the receipt of Security Deposit from them as called for in the contract. The EMD will be forfeited if the bidder withdraws, or amends impairs or derogates from the tender in any respect within the validity period of their tender.

16. Payment Terms - Payments will be made through ECS/ NEFT on satisfactory supply of items after submission of the ink- signed bills for the completed services. Taxes like GST etc. will be paid as per Govt. norms. No advance payment(s) will be made. On receipt of the Final payments, the Bidder shall furnish a "**No Claim Certificate**" to IIM Kashipur.

SECTION – II

Conditions of the Contract

1. General Terms and Conditions:

(a) The Contractor shall not appoint any sub-Contractor to carry out any obligations under the contract or sub- let the contract. Any one or more the following action/commission/omission are likely to cause summary rejection of tender:

- i. If the EMD and / or Tender fee is not found in order or receipts are not attached with the Bid.
- ii. Any bid received late without conclusive proof that it was delivered before the specified closing time.
- iii. Any bid received unsealed or improperly sealed
- iv. Any conditional bid or bid offering rebate
- v. Any bid in which rates have not been quoted in accordance with specified formats/details as specified in the Bid Documents.



Indian Institute of Management Kashipur

Kundeshwari, District – Udham Singh Nagar, Kashipur – 244713

vi. Any effort by a bidder to influence the IIM Kashipur in the bid evaluation, bid evaluation, bid comparison or contract award decision.

(b) The IIM Kashipur reserves the right to accept / reject / select more than one Contractor and to annul the bidding process of any or all bids at any time prior to award of contract without thereby incurring any liability to the affected bidders.

(c) The contractor shall be responsible for registration under the Contract Labour (Regulation & Abolition) Act, 1970 in respect of employees / workers engaged by them. Contractor shall ensure compliance to the provisions of all labour Laws or any other law relating thereto, and rules made hereunder from time to time. IIM Kashipur shall not own any responsibility in this regard.

2. **Non-disclosure of Contract documents:** Except with the written consent of IIM Kashipur, other party shall not disclose or share any contract/ provision, specification, plan, design, pattern, sample or information about the institute thereof to any third party.

3. **Liquidated Damages:** In the event of the Seller's failure to submit the Bonds, Guarantees and Documents, supply the stores/goods and conduct trials, installation of equipment, training, etc as specified in this contract, the Buyer may, at his discretion, withhold any payment until the completion of the contract. The Buyer may also deduct from the Seller as agreed, Liquidated Damages to the sum of 0.5% of the contract price of the delayed/undelivered stores/services mentioned above for every week of delay or part of a week, subject to the maximum value of the Liquidated Damages being not higher than 10% of the value of delayed stores.

4. **Termination of Contract:** IIM Kashipur shall have the right to terminate this Contract in part or in full in any of the following cases:-

(i) This Agreement may be terminated in whole or in part, by either Party in the event of a material breach by a Party that is not cured within thirty (30) days of a notice from the non-breaching Party.

(ii) This Agreement may be terminated in whole or in part, by a Party for convenience, on ninety (90) days prior written notice to the other Party.

(iii) In addition to the above, either Party may terminate this Agreement if the other Party (a) admits in writing its inability to pay its debts generally as they become due, or (b) makes an assignment for the benefit of its creditors, or (c) institutes or consents to the filing of a petition in bankruptcy, whether for reorganization or liquidation, under federal or similar applicable state laws, or (d) is adjudged bankrupt or insolvent by a court having jurisdiction, then in any of such events, the other Party may, by written notice, immediately terminate this Agreement, without further liability to the other Party, except to produce or pay all accrued payments.

5. **Amendments:** No provision of present Contract shall be changed or modified in any way (including this provision) either in whole or in part except by an instrument in writing made after the date of this Contract and signed on behalf of both the parties and which expressly states to amend the present Contract.

6. **Force Majeure:** Neither Party shall be liable for damages for any delay or failure to perform its obligations hereunder, if such delay or failure is due to causes beyond its control or without its fault or negligence, including, without limitation, riots, wars, fires, epidemics, lack of human or material resources, quarantine restrictions, unusually severe weather, earthquakes, explosions, acts of god or state or any public enemy, or acts mandated by any applicable laws, regulation or order (whether valid or invalid) of any governmental body. If a force majeure event occurs the affected Party shall inform the other Party promptly and will use reasonable efforts to mitigate adverse effects and to resume performance as soon as



Indian Institute of Management Kashipur

Kundeshwari, District – Udham Singh Nagar, Kashipur – 244713

practicable. Should the force majeure event extend beyond fifteen (15) days either Party shall have the right to terminate the Contract upon immediate written notice without any penalty or liability. However, the existing liabilities of the Parties and the IIM Kashipur's payment obligations for services successfully performed, provided the same is not affected by a force Majeure event, shall remain and not be affected by the force majeure event.

7. **Confidentiality:** Both the Parties hereby undertake that under no circumstances whatsoever they shall disclose any of the Terms of this Contract and all or any Confidential Information belonging to the other party like financial plans, business plans, and others, declared confidential to which they might have access during the association with one another in terms of this Contract, except to the extent that is already in public knowledge/ domain. The Confidential Information as hereinabove detailed shall not be disclosed during the subsistence of this Contract and thereafter for a period of five years from the date of termination of this Contract for whatever reason.

8. **Data Security:** The Bidder shall use inputs provided by IIM KASHIPUR solely for performing its obligations under this Contract, and will not, at any time, transfer, save, download, print, disclose, or in any other way use the inputs other than as directly required for the provision of the services under this Contract or as directed by IIM KASHIPUR in writing.

9. **Notices:** All notices, requests, demands or communications required hereunder shall be in writing inclusive of electronic means as recognized by IT Act 2000 (including any statutory modifications thereof) and shall be deemed to have been given or made (a) if by mail when deposited in the mail by certified mail, postage prepaid return receipt, requested at its address set forth on the signature pages hereto (b) if by telecopy when sent by used telecopy to the telecopy number set forth on the signature page hereto provided. Either Party may change its address or telecopy number for notice, by providing notice to the other Party of such change in the manner and within such time as provided herein.

10. **Counterparts:** This Agreement may be executed in counterparts, each of which shall be deemed an original but all such counter parts shall together constitute but one and the same agreement.

11. **Non-Solicitation:** During the term of the Agreement and for a period of one (01) year thereafter, neither Party shall (either directly or indirectly through a third party) employ, solicit to employ, cause to be solicited for the purpose of employment or offer employment to any employee/s or subcontractor/s of the other Party, or aid any third person to do so, without the specific written consent of the other Party. For the avoidance of doubt, this restriction applies only to those employees who relate to the services performed under this Agreement. The clause does not prevent hiring based on responses by employees to public advertisement on any media that are not specifically targeted at the other Party's employees.

12. **Indemnity:** The Contractor (Indemnifying Party) shall indemnify, defend and hold harmless the IIM Kashipur (Indemnified Party), its directors, officers and employees from and against any and all losses claims, demands, liabilities (including attorney's fees) that arise from any errors and any act/commission/omission on the part of the Indemnifying Party or in connection with any work, obligation, authority delegated to the Indemnifying Party under this Contract.









13. **Arbitration:** In event of any dispute or difference arising out of or in connection with the Contract including the interpretation of its clauses or any other matter arising out of the Contract between the Parties, the same shall be resolved by mutual discussion and if any dispute or difference arising out of this Contract














or interpretation of the Contract or any other matter related to it. If the contract still remains unresolved; it shall be then referred to the Sole Arbitrator who shall be appointed by the Director, IIM Kashipur alone. And the arbitral proceedings shall be conducted strictly in accordance with the Arbitration and Conciliation Act, 1996, as amended up-to-date (including the statutory modifications thereof). The place of conducting Arbitration / seat of Arbitration shall be Kashipur, Uttarakhand and the arbitral proceedings shall be conducted in English language only. The cost of arbitration shall be shared equally by both the parties and the decision/ interim orders passed by the Sole Arbitrator shall be final and binding on both the Parties.






SECTION-IV

SCOPE OF WORK

1. The following electrical items are required by IIM Kashipur.

Sl. No.	CAPACITY/RATING	MAKE/MODEL	DESCRIPTION	QTY.	UNIT	SPECIFICATION
1	15 W	WIPRO (LG-08-15-325) compatible to Wipro fixture	LED Driver for Wipro Light LD 81-131-xxx-60-xx	150	NO.	
2	15 W	Wipro input:100-270v pin:15w tc:80 c output 72VDC, 190ma+5% freq:50/60 hz ta:20-50 c PF: 0.90 compatible to Wipro fixture	Wipro LED Driver 15w	50	NO.	
3	12w	Wipro operating voltage range:140-270v-input voltage:230v,50hz input current:0.055a output voltage:34-40v dc output current:0.300a DC compatible to Wipro fixture	LED DRIVER 12W ROUND (WIPRO HQ 6300)	50	NO.	
4	38w	Wipro(CRDR24MAP261120) UN : 240 v fn:50 Hz Ta:0-50 c Vo:26.4 V DCUR:150-270v compatible to Wipro fixture	LED Driver for Wipro light CRCO10SO38HP57	50	NO.	
5	40 W	Phillips LED Driver 4415 370 05490 Uin:240v Fin:50 Hz lin:0.20a max pin:47w max PF: 0.95 I out:.320 mA U LED:108-119 V DC Uout:165v DC max ta:0-50 c tc:+80 c compatible to Phillips fixture	LED DRIVER 40W (108-119V DC)	100	NO.	
6	14W	Wipro Model no- H31490 compatible to Wipro fixture	LED Driver	100	NO.	
7	12w	ISCode -15885 wattage -12w. Voltage (VAC) -150 -300mm size dia- 150mm	LED CEILING LIGHT 12W	100	NO	
8	15w	Frame size-164 x 164 mm Operating Voltage-240v. Power - 15 w.	LED FALSE CEILING LIGHT 15W	100	NO	

9	20w	IS Code- 10322	LED BATTEN LIGHT 20W	300	NO	
10	14w		LED BATTEN LIGHT	50	NO	
11	28w	IS Code- 2418	TUBE ROD 28W (T-5 28W)	200	NO	
12	25A	IS Code- 1293 - 1988	3 PIN TOP	40	NO	
13	16A	IS Code- 1293 - 1988	3 PIN TOP	40	NO	
14	6A	IS Code- 1293 - 1988	3 PIN TOP	40	NO	
15	40A	IS- Code- 60898-1	MCB 2 POLE "c" curve breaker (MCB)240/415v	10	NO	
16	63A	IS- Code- 60898-1	MCB (4 POLE) TP & N "C" CURVE 415V, 50 HZ,10 KA	10	NO	
17	16A	IS Code-60898	MCB (SP) 240V "C" CURVE, 50 HZ, 10 KA	50	NO	
18	40A (MAKE HAVELLS ITEM CODE 30MA (LT)BG 204010)	IS Code- 12640	RCCB (2 POLE) 240 V, 50 HZ, 10 KA, 30MA	20	NO	
19	6A	IS Code- 60898-1	MCB (SP) 240V "C" CURVE, 50 HZ, 10 KA	50	NO	
20	16A		TIME SWITCH ASTRONOMICAL PROGRAMMABLE	10	NO	
21	240V CONTACTOR	COIL 20A IS Code 2959-1985	2 POLE CONTACTOR 2 POLE, COIL 20A	10	NO	

22	0.75MM	IS Code- 694	3 Core COPPER CABLE FR	200	MTR.	<table border="1"> <tr><td>Brand</td><td>Prayag</td></tr> <tr><td>Product Availability</td><td>Ex-Stock</td></tr> <tr><td>Weight (kg)</td><td>18.200</td></tr> <tr><td>Number of Cores</td><td>3</td></tr> <tr><td>Rated Current</td><td>5</td></tr> <tr><td>Rated Voltage</td><td>250</td></tr> <tr><td>Number of Conductors</td><td>3/2</td></tr> <tr><td>Number of Conductors</td><td>3/2</td></tr> <tr><td>Material</td><td>Copper</td></tr> <tr><td>Type</td><td>Unshielded</td></tr> <tr><td>Insulation</td><td>PVC</td></tr> <tr><td>Parting Unit</td><td>100m</td></tr> <tr><td>Remarks</td><td>As per manufacturer's standard</td></tr> </table>	Brand	Prayag	Product Availability	Ex-Stock	Weight (kg)	18.200	Number of Cores	3	Rated Current	5	Rated Voltage	250	Number of Conductors	3/2	Number of Conductors	3/2	Material	Copper	Type	Unshielded	Insulation	PVC	Parting Unit	100m	Remarks	As per manufacturer's standard		
Brand	Prayag																																	
Product Availability	Ex-Stock																																	
Weight (kg)	18.200																																	
Number of Cores	3																																	
Rated Current	5																																	
Rated Voltage	250																																	
Number of Conductors	3/2																																	
Number of Conductors	3/2																																	
Material	Copper																																	
Type	Unshielded																																	
Insulation	PVC																																	
Parting Unit	100m																																	
Remarks	As per manufacturer's standard																																	
23	1.5MM	IS Code- 694	3 CORE COPPER CABLE FR	200	MTR.	<table border="1"> <tr><td>Product Specification</td><td></td></tr> <tr><td>Number of Cores</td><td>3 Core</td></tr> <tr><td>Conductor Material</td><td>Copper</td></tr> <tr><td>Classification</td><td>Unshielded</td></tr> <tr><td>Conductor Type</td><td>Stranded</td></tr> <tr><td>Event</td><td>INDIAN CABLES</td></tr> <tr><td>Color</td><td>Red</td></tr> <tr><td>Insulation Material</td><td>PVC</td></tr> <tr><td>Voltage</td><td>100</td></tr> <tr><td>Minimum Order Quantity</td><td>50 Meter</td></tr> </table>	Product Specification		Number of Cores	3 Core	Conductor Material	Copper	Classification	Unshielded	Conductor Type	Stranded	Event	INDIAN CABLES	Color	Red	Insulation Material	PVC	Voltage	100	Minimum Order Quantity	50 Meter								
Product Specification																																		
Number of Cores	3 Core																																	
Conductor Material	Copper																																	
Classification	Unshielded																																	
Conductor Type	Stranded																																	
Event	INDIAN CABLES																																	
Color	Red																																	
Insulation Material	PVC																																	
Voltage	100																																	
Minimum Order Quantity	50 Meter																																	
24	1.5MM	FRLS (IS-694 2010)	(WIRE) Single core copper cable (red 270 m., yellow 270 m., black 600 m., blue 270 m., green 90 m.)	1500	MTR.	<table border="1"> <tr><td>Product Specification</td><td></td></tr> <tr><td>Brand</td><td>Standard</td></tr> <tr><td>Rated Current</td><td>15A</td></tr> <tr><td>Conductor Size</td><td>1.5mm</td></tr> <tr><td>Wire Size</td><td>45mm</td></tr> <tr><td>Material</td><td>PVC</td></tr> <tr><td>Fire-Resistant</td><td>Yes</td></tr> </table>	Product Specification		Brand	Standard	Rated Current	15A	Conductor Size	1.5mm	Wire Size	45mm	Material	PVC	Fire-Resistant	Yes														
Product Specification																																		
Brand	Standard																																	
Rated Current	15A																																	
Conductor Size	1.5mm																																	
Wire Size	45mm																																	
Material	PVC																																	
Fire-Resistant	Yes																																	
25	2.5MM	FRLS (IS-694 2010)	(WIRE)Single core copper cable (red 180 m. yellow 180 m., black 370 m., blue 180 m., green 90 m.)	1000	MTR.	<table border="1"> <tr><td>PRODUCT SPECIFICATIONS</td><td></td></tr> <tr><td>Brand</td><td>Prayag</td></tr> <tr><td>Insulated Material</td><td>PVC</td></tr> <tr><td>Length</td><td>100 m</td></tr> <tr><td>Voltage</td><td>1100 V</td></tr> <tr><td>Current Rating</td><td>24 AMP</td></tr> <tr><td>Conductor Diameter</td><td>0.25 mm</td></tr> <tr><td>Conductor Material</td><td>Copper</td></tr> <tr><td>Conductor Core Number</td><td>1000/20/1000</td></tr> <tr><td>Remarks</td><td>AS PER IS-694</td></tr> <tr><td>Number of Cores</td><td>1 Core</td></tr> <tr><td>Number of Conductors</td><td>20</td></tr> <tr><td>Maximum Mechanical stress</td><td>2.8 N/mm²</td></tr> <tr><td>Colour</td><td>Green</td></tr> </table>	PRODUCT SPECIFICATIONS		Brand	Prayag	Insulated Material	PVC	Length	100 m	Voltage	1100 V	Current Rating	24 AMP	Conductor Diameter	0.25 mm	Conductor Material	Copper	Conductor Core Number	1000/20/1000	Remarks	AS PER IS-694	Number of Cores	1 Core	Number of Conductors	20	Maximum Mechanical stress	2.8 N/mm ²	Colour	Green
PRODUCT SPECIFICATIONS																																		
Brand	Prayag																																	
Insulated Material	PVC																																	
Length	100 m																																	
Voltage	1100 V																																	
Current Rating	24 AMP																																	
Conductor Diameter	0.25 mm																																	
Conductor Material	Copper																																	
Conductor Core Number	1000/20/1000																																	
Remarks	AS PER IS-694																																	
Number of Cores	1 Core																																	
Number of Conductors	20																																	
Maximum Mechanical stress	2.8 N/mm ²																																	
Colour	Green																																	
26	4MM	FRLS (IS-694 2010)	(WIRE)Single core copper cable (red 180 m. yellow 180 m., black 370 m., blue 180 m., green 90 m.)	1000	MTR.	<table border="1"> <tr><td>Product Specification</td><td></td></tr> <tr><td>Wire Size</td><td>4 Cores</td></tr> <tr><td>Current Rating</td><td>30A</td></tr> <tr><td>Rated Length</td><td>90m</td></tr> <tr><td>Color</td><td>YELLOW-BLUE</td></tr> <tr><td>Voltage</td><td>1100 V</td></tr> <tr><td>Usage/Application</td><td>Industrial Wiring</td></tr> <tr><td>Brand</td><td>SDI</td></tr> <tr><td>Insulation Material</td><td>Single</td></tr> <tr><td>Parting Unit</td><td>Roll</td></tr> <tr><td>Insulation Material</td><td>PVC</td></tr> <tr><td>Material</td><td>Copper</td></tr> <tr><td>Fire-Resistant</td><td>Yes</td></tr> <tr><td>Country of Origin</td><td>Made in India</td></tr> </table>	Product Specification		Wire Size	4 Cores	Current Rating	30A	Rated Length	90m	Color	YELLOW-BLUE	Voltage	1100 V	Usage/Application	Industrial Wiring	Brand	SDI	Insulation Material	Single	Parting Unit	Roll	Insulation Material	PVC	Material	Copper	Fire-Resistant	Yes	Country of Origin	Made in India
Product Specification																																		
Wire Size	4 Cores																																	
Current Rating	30A																																	
Rated Length	90m																																	
Color	YELLOW-BLUE																																	
Voltage	1100 V																																	
Usage/Application	Industrial Wiring																																	
Brand	SDI																																	
Insulation Material	Single																																	
Parting Unit	Roll																																	
Insulation Material	PVC																																	
Material	Copper																																	
Fire-Resistant	Yes																																	
Country of Origin	Made in India																																	
27	400W	HPSVT B8	LAMP (BULB)	150	NO																													
28	400W (MAKE BAJAJ (TYPE BJOD/OMH 400 CODE 169233) VOLTS-220/240 WATTS-400 AMP-4.45 COS-0.42 HZ-50 or equivalent	BAJAJ (TYPE BJOD/OMH 400 CODE 169233)	COPPER BALLAST	150	NO																													
29	240V 50HZ	BG-IGN-HPSV/MH-1	IGINATOR	150	NO																													
30	250 VAC 50HZ	42 MFD +/- 5% 250 VAC 50 Hz	CAPACITOR 42 MFD	150	NO																													
31	400W		HOLDER (BULB) BT HPSVT B8	50	NO																													



Indian Institute of Management Kashipur

Kundeshwari, District – Udham Singh Nagar, Kashipur – 244713

Note: The bidders are requested to visit the site at IIM Kashipur and satisfy themselves about the exact requirement of spares both physically and technically before submission of the financial bid of the tender. Prices of the exact spares required should be quoted. No deviation from the exact spares shall be accepted from the bidder. Standard warranty to be given for the items.

SECTION – V

Technical Eligibility Criteria of the Bidders & Evaluation Criteria

1. Eligibility Criteria

- (a) The agency should have valid GST registration (documentary evidence to be submitted).
- (b) Average Turn over in last 03 (three) financial years (2018-19, 2019-20 & 2020-21) shall not be less than Fifteen lakh. (A self-attested copy of certificate issued by a Chartered Accountant shall be enclosed).
- (c) Minimum 03 (three) years of experience in carrying out supply works undertaken for Government / Public Sector Undertakings / Autonomous Body and CFTI's. (Documentary evidence, work orders/certificates, to this effect should be enclosed)
- (d) The Tender Fee is mandatory to be paid along with the bid. However, Tender fee and EMD is not required to be submitted by those MSE Bidders who are registered as Micro and Small Enterprises (**MSEs**) as defined in MSE Procurement Policy issued by Department of Micro, Small and Medium Enterprises (MSME) or are registered with the Central Purchase organization or the concerned Ministry or Department. Exemptions, if any, must be supported with legitimate documents and they shall have to enclose valid self-attested registration certificate(s) along with the tender to this effect.
- (e) There should be no criminal case pending with the police against the Proprietor/ Firm/ Partner or the Company (Contractor) and the firm should not be blacklisted by Central Government/ State Government/ PSU/any other Institutes. The declaration to such state as incorporated will be assumed for this purpose.

2. Evaluation Criteria - The broad guidelines for evaluation of Bids will be as follows:

- a. Only those Bids will be evaluated which are found to be fulfilling all the eligibility and qualifying requirements of the NIT.
- b. The Bids forwarded by the Bidders will be evaluated by the IIM Kashipur with reference to the technical/eligibility characteristics of the NIT. The compliance of Bids would be determined based on the parameters specified in the NIT and financial evaluation in total.
- c. The financial bid will be evaluated as a whole in totality. No piecemeal tender will be awarded. Tender will be awarded as a whole to the overall Lowest bidder as per the Financial Bid on Annexure-I
- d. The bidder should preferably sign Annexure-I of the NIT on the letter head of the firm. All the rates quoted should be inclusive of all taxes.
- e. In the event that the first lowest is more than one, then the financial capability of the firm (average of the turnover for last three years) is to be considered for finalizing the L-1 vendor. Decision taken by the committee, in this regard, shall be binding to all the applicants contesting for successful bidder position.



Indian Institute of Management Kashipur

Kundeshwari, District – Udham Singh Nagar, Kashipur – 244713

ANNEXURE-I

(Refers to IIM Kashipur/NIT/26)

FINANCIAL BID

Name of the Tenderers Firm: _____

SI. No.	CAPACITY/RATING	MAKE/MODEL	DESCRIPTION	QTY.	UNIT	Rate (incl. of Taxes)	Total Amount (incl. of all taxes)
1	15 W	WIPRO (LG-08-15-325) compatible to Wipro fixture	LED Driver for Wipro Light LD 81-131-xxx-60-xx	150	NO.		
2	15 W	Wipro input:100-270v pin:15w tc:80 c output 72VDC, 190ma+-5% freq:50/60 hz ta:20-50 c PF: 0.90 compatible to Wipro fixture	Wipro LED Driver 15W	50	NO.		
3	12w	Wipro operating voltage range:140-270v-input voltage : 230v ,50hz input current:0.055a output voltage: 34-40v dc output current: 0.300a DC compatible to Wipro fixture	LED DRIVER 12W ROUND (WIPRO HQ 6300)	50	NO.		
4	38w	Wipro (CRDR24MAP261120) UN : 240 v fn:50 Hz Ta:0-50 c Vo:26.4 V DCUR:150-270v compatible to Wipro fixture	LED Driver for Wipro light CRCO10SO38HP57	50	NO.		
5	40 W	Phillips LED Driver 4415 370 05490 Uin:240v Fin:50 Hz lin:0.20a max pin:47w max PF: 0.95 I out:320 mA U LED:108-119 V DC Uout:165v DC max ta:0-50 c tc:+80 c compatible to Phillips fixture	LED DRIVER 40W (108-119V DC)	100	NO.		
6	14W	Wipro Model no- H31490 compatible to Wipro fixture	LED Driver	100	NO.		
7	12w	ISCode -15885 wattage -12w. Voltage(VAC)-150-300mm size dia- 150mm	LED CEILING LIGHT 12W	100	NO.		
8	15w	Frame size-164 x 164 mm OperatingVoltage-240v. Power - 15 w.	LED FALSE CEILING LIGHT 15W	100	NO.		
9	20w	IS Code- 10322	LED BATTEN LIGHT 20W	300	NO.		
10	14w		LED BATTEN LIGHT	50	NO.		
11	28w	IS Code- 2418	TUBE ROD 28W (T-5 28W)	200	NO.		
12	25A	IS Code- 1293 - 1988	3 PIN TOP	40	NO.		
13	16A	IS Code- 1293 - 1988	3 PIN TOP	40	NO.		
14	6A	IS Code- 1293 - 1988	3 PIN TOP	40	NO.		



Indian Institute of Management Kashipur

Kundeshwari, District – Udham Singh Nagar, Kashipur – 244713

15	40A	IS- Code- 60898-1	MCB 2 POLE "C" curve breaker (MCB)240/415v	10	NO.		
16	63A	IS- Code- 60898-1	MCB (4 POLE) TP & N "C" CURVE 415V, 50 HZ,10 KA	10	NO.		
17	16A	IS Code-60898	MCB (SP) 240V "C" CURVE, 50 HZ, 10 KA	50	NO.		
18	40A	IS Code- 12640	RCCB (2 POLE) 240 V, 50 HZ, 10 KA, 30MA	20	NO.		
19	6A	IS Code- 60898-1	MCB (SP) 240V "C" CURVE, 50 HZ, 10 KA	50	NO.		
20	16A		Time Switch Astronomical Programmable	10	NO.		
21	240V Contactor	COIL 20A 2 POLE IS Code 2959-1985	CONTACTOR 2 POLE, COIL 20A	10	NO.		
22	0.75MM	IS Code- 694	3 Core COPPER CABLE FR	200	MTR.		
23	1.5MM	IS Code- 694	3 CORE COPPER CABLE FR	200	MTR.		
24	1.5MM	FRLS (IS-694 2010)	(WIRE) Single core copper cable (red 270 m., yellow 270 m., black 600 m., blue 270 m., green 90 m.)	1500	MTR.		
25	2.5MM	FRLS (IS-694 2010)	(WIRE)Single core copper cable (red 180 m. yellow 180 m., black 370 m., blue 180 m., green 90 m.)	1000	MTR.		
26	4MM	FRLS (IS-694 2010)	(WIRE)Single core copper cable (red 180 m. yellow 180 m., black 370 m., blue 180 m., green 90 m.)	1000	MTR.		
27	400W	HPSVT B8	LAMP (BULB)	150	NO.		
28	400W	BAJAJ (TYPE BJOD/OMH 400 CODE 169233)VOLTS-220/ 240 WATTS- 400 AMP-4.45COS-0.42 HZ-50 or equivalent	COPPER BALLAST	150	NO.		



Indian Institute of Management Kashipur

Kundeshwari, District – Udham Singh Nagar, Kashipur – 244713

29	240V 50HZ	BG-IGN-HPSV/MH-1	IGINATOR	150	NO.		
30	250 VAC 50HZ	42 MFD +/- 5% 250 VAC 50 Hz	CAPACITOR 42 MFD	150	NO.		
31	400W		HOLDER (BULB) BT HPSVT B8	50	NO.		
Grand Total (inclusive of all charges/taxes)							

In words (inclusive of all taxes).....
.....

Note:

- (a) The bidders are requested to visit the site at IIM Kashipur and satisfy themselves about the exact requirement of spares both physically and technically before submission of the financial bid of the tender. Prices of the exact spares required should be quoted. No deviation from the exact spares shall be accepted from the bidder. Standard warranty on the items to be given.
- (b) The financial bid will be evaluated as a whole in totality. No piecemeal tender will be awarded. Tender will be awarded as a whole to the overall Lowest bidder.
- (c) The price quoted should be the final price inclusive of all taxes and freight, miscellaneous cost etc. No extra amount shall be paid.

Date:

Signature of the Tenderer with Firm's Seal